
SMART ACCESS CONTROL DOORPLATE SYSTEM

HOTEL, HOMESTAY, APARTMENT, CRUISE SHIP

GTD has developed a new access control doorplate system, which integrates the functions of doorbell, DND, MUR, room status,card reader, etc. to open the door. Its simple installation and convenient wiring are ideal for new hotels. Displaying by reception computer through a gateway and wireless connecting with mobile applications to achieve intelligent management.







SWIPE TO OPEN THE DOOR



4MM TEMPERED GLASS



CUSTOMIZING PATTERNS



LED BACKLIGHT



SAFE AND DURABLE



EASY INSTALLATION

SMART ACCESS CONTROL DOORPLATE SYSTEM INTRODUCTION



- 1 DISPLAY PANEL
- CONTROL PANEL
- 3 DOORBELL
- ACCESS CONTROL POWER
- 5 ACCESS LOCK
- 6 CARD ENCODER
- MIFARE CARD
- **8** MANAGEMENT SOFTWARE
- 9 LITHIUM CELL RESERVE POWER SUPPLY (OPTIONAL)



Note: This access control doorplate system consists of the above 9 parts, and the doorplate cannot be provided separately!

Abbres that wyor, you are be accorded about the dayon you are to be become about a larger you are be to be become about a series that again you creat
me alistics flor open you are be to become about a single you you are be to be become about a larger you creat
the become about the open you are to be become about a larger you are to be become and the open you are to be become.

**But the day of the day of the become about the open you are to be become about a larger you are to be to become.

**But the day of the day of the become about the day of the become about a larger you are to be the become about the day of the become about a larger you are to be the become about the day of the day of the become about the day of t


PRODUCT PARAMETER


Founder appearance · Artistic · Stylish

that the limit of part p(u) and p(u) by the form of state of East p(u)

Product Specifications: 225*140mm/86*85mm	Product Brand: GTD
Product Name: Access Control Doorplate System	Power Consumption: < 1W
Input Voltage: 12V	Screw Hole Distance: UK standard 60mm
Working Current: 3A	Panel Material: tempered glass / fireproof PC
Product Color: Black / White / Gray (can be customized)	Card Type: MIFARE S50
Door Opening Method: Microwave Detection	Power Supply Mode: by the access control power supply, no battery require
Opening Record: Recent 284 (can be customized)	Working Temperature: -40 ← +85 °C
Carrier Frequency: 13.56HZ	Card Data Amount: 1024BYTES








^{*} For other sizes / colors of customizing glass panels, please contact customer service

PRODUCT FEATURES

Upgrade Intelligence





Exquisite Engraving \cdot Customizing Logo \cdot Icon \cdot Room No.

EATURES

Newest upgrade multifunctional access control doorplate Considering from the customer's perspective...

- Best choice for both new and renewing hotels
- Stylish glass panel, touch control, with LED backlight
- Customized panel design (hotel logo, icons, LED colors, etc.)
- Different function panels to help achieve intelligent solutions
- 284 offline door opening records can be saved, and it can be increased according to customers'requirement
- Independent BELL / DND / MUR status and display functions
- Use RS485 wired communication between devices connect to the reception computer online through the gateway,
 and wireless connect to phone applications
- 3 output ports can be used to interface with the management system (hotel guests and staff access rights)
- Concentrated functions: access control; DND; MUR; BELL; guide sign; integrated with mobile applications

OPTIONAL LAYOUTS

Simple Appearance - Durable

Hotel Logo/Room No. /Icons can be customized on display panel

Controller functions can be DND, MUR, SOS, Laundry, Collect Tray, Checkout, Call Reception, etc. according to the needs of hotel, and display it in real time on the reception computer and the waiter's mobile phone.

After the doorplate is engraved with icon & letters, with different colors of LDE display, all features at a glance.









DISPLAY PANEL

BEDSIDE CONTROL PANEL ENTRANCE CONTROL PANEL MMULTIFUNCTIONAL CONTROL PANEL

DETAIL ANALYSIS

Free Customization · Room No. · Hotel Name

RF IC CARD-SWIPE TO UNLOCK WIPE TO UNLOCK



SWIPE TO UNLOCK (.)

None-touch near induction · Simple to use · Portable

SMART ENCRYPTED RF CARD (*)

Intelligent encrypted RF card identification

MICROCOMPUTER PROCESSOR

Newly upgraded microcomputer processor Fast reading speed and sensitive induction

4MM TEMPERED GLASS

The panel is made of tempered glass - Hardened and scratch-resistant High sensitive touching reaction Effectively waterproof and dustproof



SMART TOUCH - LIGHT YOUR LIFE MART TOUCH



RS485 COMMUNICATION

Can achieve single control, dual control and even multiple control

HUMANIZED DESIGN · WITH LED INDICATOR .

Red, green and yellow LED warm tips

TOUCH CONTROL (

High-sensitivity capacitive touch technology

Just a click in need

SELECTED MATERIALS · RELIABLE QUALITY .

Ultra-white high-transparent crystal tempered glass panel

Ventilation hole design



Administration upper years on the description. Such as the segment of the description of the segment of the seg





86*86MM GLASS PANEL · FRAME COLOR OPTIONAL

Standard & Modular Design . Easy Installation

LED FLASHING LIGHT · EASY TO IDENTIFY .

When the bell rings, the blue LED in the lower right corner flashes

HUMANIZED DESIGN

4 sound levels can be adjusted as required Multiple music options

POROUS HEAT DISSIPATION DESIGN

Switch bottom box has a porous design- Full cooling Extended service life



Atomic Barriages you we be to furnish a makes Barriages a

the district fact segment and be the designed author. Her begin you are the decisions author. Her begin you are the decision which has been presented in the property of the decision of the d





ACCESS CONTROL POWER SUPPLY INTERNATIONAL APPEARANCE

Small size, low heat, low noise, suitable for installation in various occasions

DELAY ADJUSTABLE .

New upgrade power supply can be adjusted to automatically turn off in 1~15 seconds

ORIGINAL SMART CIRCUIT BOARD

Precision welding · Upgraded chips · Scientific design Convenient for connecting external access control and electric lock

INSURANCE SETTINGS

Designed the fuse device High voltage will automatically power off

(OPTIONAL) USP BACKUP POWER

Automatically enabled after power failure Provide strong protection for emergencies Prevent the door from opening due to power failure



TPRECISION CASTING LOCK - COPPER COIL HE CATHODE LOCK



Cathode Lock

STAINLESS STEEL THICK LOCK PANEL · THICK AND DURABLE .

Matching with mechanical locks · Smart control

CONCEALED INSTALLATION AND LOW POWER CONSUMPTION .

Installation regardless of left and right opening, does not affect the overall appearance

STRONG APPLICABILITY · SAFER ANTI-THEFT

Instant power on / off lock

INTERNAL FULL COPPER COIL TRANSFORMER

Heat and impact resistance, safe and stable work

;00;

Electric mortise lock






Magnetic lock

Mirra der mys ynn 10 m he heart o. Eidrak dan sgar yn 111 he he heart a sidtry Cat mae' yn 111 he he heart a adera dar m

WIRE DIAGRAM



(INSIDE)







ENTRANCE CONTROL PANEL (INSIDE)



BEDSIDE CONTROL PANEL (INSIDE)

1210

DOORBELL

(INSIDE)

ACCESS DOORPLATE (OUTSIDE)

